

1995 年～2009 年まで

1. Nakajima A, Matsuhashi N, Kodama T, Yazaki Y, Takazoe M, Kimura A. :HLA-linked susceptibility and resistance genes in Crohn's disease. **Gastroenterology**. 1995 ;109(5):1462-7.
2. Nojima Y, Mimura T, Hamasaki K, Furuya H, Tanaka G, Nakajima A, Matsuhashi N, Yazaki Y.:Chronic intestinal pseudoobstruction associated with autoantibodies against proliferating cell nuclear antigen. **Arthritis Rheum**. 1996 May;39(5):877-9.
3. Matsuhashi N, Nakajima A, Fukushima Y, Suzuki A, Yazaki Y, Konishi T, Hiraish M, Sato A, Tokunaga M.:Three histologically different tiny gastric cancers developing adjacent to each other, resected endoscopically in a single mucosal piece. **Am J Gastroenterol**. 1996 Oct;91(10):2200-2.
4. Matsuhashi N, Nakajima A, Fukushima Y, Yazaki Y, Sato A, Hiraishi M, Konishi T.:Sarcoid reactions in association with a leiomyosarcoma of the stomach. **Am J Gastroenterol**. 1996 Dec;91(12):2623-4.
5. Nakajima A, Kodama T, Yazaki Y, Takazoe M, Saito N, Suzuki R, Nish Inoh Y,Yamamoto K, Silver J, Matsuhashi N.:Specific clonal T cell accumulation in intestinal lesions of Crohn's disease. **J Immunol**. 1996;157(12):5683-8.
6. Matsuhashi N, Nakajima A, Suzuki A, Akanuma M, Yazaki Y, Takazoe M.:Nonsurgical strictureplasty for intestinal strictures in Crohn's disease:preliminary report of two cases. **Gastrointest Endosc**. 1997;45(2):176-8.
7. Matsuhashi N, Nakajima A, Fukushima Y, Yazaki Y, Oka T.:Effects of sulindac on sporadic colorectal adenomatous polyps .**Gut**. 1997 ;40(3):344-9.
8. Nakajima N, Hanaki K, Shimizu YK, Ohnishi S, Gunji T, Nakajima A, Nozaki C, Mizuno K, Odawara T, Yoshikura H.:Hybridization-AT-tailing (HybrAT) method for sensitive and strand-specific detection of DNA and RNA.**Biochem Biophys Res Commun**. 1998;248(3):613-20.

9. Matsuhashi N, Nakajima A, Shinohara K, Oka T, Yazaki Y.:Rectal cancer after sulindac therapy for a sporadic adenomatous colonic polyp. *Am J Gastroenterol.* 1998 ;93(11):2261–6.
- 10.Matsuhashi N, Nakajima A, Suzuki A, Yazaki Y, Takazoe M:Long-term outcome of non-surgical strictureplasty using metallic stents for intestinal strictures in Crohn's disease. *Gastrointest Endosc.* 2000;51(3):343–5.
11. Nakajima A, Yajima S, Shirakura T, Ito T, Kataoka Y, Ueda K, Nagoshi D, Kanemoto H, Matsuhashi N:Rifampicin-associated pseudomembranous colitis. *J Gastroenterol.* 2000;35(4):299–303.
- 12.Nakajima A, Matsuhashi N, Yazaki Y, Oka T, Sugano K:Details of hyperplastic polyps of the stomach shrinking after anti-Helicobacter pylori therapy. *J Gastroenterol.* 2000;35(5):372–5.
- 13.Nakajima A, Ohnishi S, Mimura T, Kubo K, Suzuki A, Yazaki Y, Matsuhashi N :Protein-losing enteropathy associated with hypocomplementemia and anti-nuclear antibodies. *J Gastroenterol.* 2000;35(8):627–30.
- 14.Matsuhashi N, Nakajima A, Watanabe K, Komeno Y, Suzuki A, Ohnishi S, Omata M, Kondo K, Usui Y, Iwadare JI, Watanabe T, Nagawa H, Muto T:Tacrolimus in corticosteroid-resistant ulcerative colitis. *J Gastroenterol.* 2000;35(8):635–40.
15. Nakajima A, Wada K, Miki H, Kubota N, Nakajima N, Terauchi Y, Ohnishi S, Saubermann LJ, Kadowaki T, Blumberg RS, Nagai R, Matsuhashi N:Endogenous PPAR gamma mediates anti-inflammatory activity in murine ischemia-reperfusion injury. *Gastroenterology.* 2001;120(2):460–9.
- 16.Aoki K, Kikuchi T, Mukasa K, Ito S, Nakajima A, Satoh S, Okamura A, Sekihara H: Dehydroepiandrosterone suppresses elevated hepatic glucose-6-phosphatase mRNA level in C57BL/KsJ-db/db mice: comparison with troglitazone. *Endocr J.* 2000;47(6):799–804.
- 17.Wada K, Nakajima A, Blumberg RS: PPARgamma and inflammatory bowel disease: a new therapeutic target for ulcerative colitis and Crohn's disease. *Trends Mol Med.* 2001;7(8):329–31.

18. Nakajima A, Iijima H, Neurath MF, Nagaishi T, Nieuwenhuis EE, Raychowdhury R, Glickman J, Blau DM, Russell S, Holmes KV, Blumberg RS: Activation-induced expression of carcinoembryonic antigen–cell adhesion molecule 1 regulates mouse T lymphocyte function. *J Immunol.* 2002;168(3):1028–35.
19. Togawa J, Nagase H, Tanaka K, Inamori M, Umezawa T, Nakajima A, Naito M, Sato S, Saito T, Sekihara H: Lactoferrin reduces colitis in rats via modulation of the immune system and correction of cytokine imbalance. *Am J Physiol Gastrointest Liver Physiol.* 2002;283(1):G187–95.
20. Shiojiri T, Wada K, Nakajima A, Katayama K, Shibuya A, Kudo C, Kadokawa T, Mayumi T, Yura Y, Kamisaki Y: PPAR gamma ligands inhibit nitrotyrosine formation and inflammatory mediator expressions in adjuvant-induced rheumatoid arthritis mice. *Eur J Pharmacol.* 2002;448(2–3):231–8.
21. Zhu X, Peng J, Raychowdhury R, Nakajima A, Lencer WI, Blumberg RS: The heavy chain of neonatal Fc receptor for IgG is sequestered in endoplasmic reticulum by forming oligomers in the absence of beta2-microglobulin association. *Biochem J.* 2002;367(Pt 3):703–14.
22. Shibuya A, Wada K, Nakajima A, Saeki M, Katayama K, Mayumi T, Kadokawa T, Niwa H, Kamisaki Y: Nitration of PPARgamma inhibits ligand-dependent translocation into the nucleus in a macrophage-like cell line, RAW 264. *FEBS Lett.* 2002;525(1–3):43–7
23. Osawa E, Nakajima A, Yoshida S, Omura M, Nagase H, Ueno N, Wada K, Matsuhashi N, Ochiai M, Nakagama H, Sekihara H: Chemoprevention of precursors to colon cancer by dehydroepiandrosterone (DHEA). *Life Sci.* 2002 ;70(22):2623–30.
24. Togawa J, Nagase H, Tanaka K, Inamori M, Nakajima A, Ueno N, Saito T, Sekihara H: Oral administration of lactoferrin reduces colitis in rats via modulation of the immune system and correction of cytokine imbalance. *J Gastroenterol Hepatol.* 2002;17(12):1291–8.
25. Saubermann LJ, Nakajima A, Wada K, Zhao S, Terauchi Y, Kadokawa T, Aburatani H, Matsuhashi N, Nagai R, Blumberg RS: Peroxisome proliferator-activated receptor gamma agonist ligands stimulate a Th2 cytokine response and prevent acute colitis. *Inflamm Bowel Dis.* 2002;8(5):330–9.

- 26.Matsuhashi N, Akahane M, Nakajima A. : Barium impaction therapy for refractory colonic diverticular bleeding. **AJR Am J Roentgenol.** 2003;180(2):490–2. No abstract available.
- 27.Inamori M, Togawa J, Nagase H, Abe Y, Umezawa T, Nakajima A, Saito T, Ueno N, Tanaka K, Sekihara H, Kaifu H, Tsuboi H, Kayama H, Tominaga S, Nagura H :Clinical characteristics of Japanese reflux esophagitis patients as determined by Los Angeles classification. **J Gastroenterol Hepatol.** 2003;18(2):172–6.
- 28.Osawa E, Nakajima A, Wada K, Ishimine S, Fujisawa N, Kawamori T, Matsuhashi N, Kadowaki T, Ochiai M, Sekihara H, Nakagama H. Peroxisome proliferator-activated receptor gamma ligands suppress colon carcinogenesis induced by azoxymethane in mice. **Gastroenterology.** 2003;124(2):361–7.
- 29.Nakajima A, Wada K, Katayama K, Saubermann L, Osawa E, Nagase H, Ueno N, Matsuhashi N, Aburatani H. Gene expression profile after peroxisome proliferator activator receptor-gamma ligand administration in dextran sodium sulfate mice. **J Gastroenterol.** 2002;37 Suppl 14:62–6.
- 30.Nagase H, Nakajima A, Sekihara H, York DA, Bray GA. Regulation of feeding behavior, gastric emptying, and sympathetic nerve activity to interscapular brown adipose tissue by galanin and enterostatin: the involvement of vagal-central nervous system interactions. **J Gastroenterol.** 2002 ;37 Suppl 14:118–27.
- 31.Katayama K, Wada K, Nakajima A, Mizuguchi H, Hayakawa T, Nakagawa S, Kadowaki T, Nagai R, Kamisaki Y, Blumberg RS, Mayumi T. A novel PPAR gamma gene therapy to control inflammation associated with inflammatory bowel disease in a murine model. **Gastroenterology.** 2003;124(5):1315–24.
- 32.Kudo C, Kori M, Matsuzaki K, Yamai K, Nakajima A, Shibuya A, Niwa H, Kamisaki Y, Wada K. Diclofenac inhibits proliferation and differentiation of neural stem cells. **Biochem Pharmacol.** 2003 ;66(2):289–95.
33. Inamori M, Togawa J, Takahashi K, Yoneda M, Fujisawa N, Iwasaki T, Ozawa Y, Kikuchi T, Muramatsu K, Chiguchi G, Matsumoto S, Kawamura H, Abe Y, Kirikoshi H, Kobayashi N, Sakaguchi T, Takamura T, Nakajima A, Ueno N, Sekihara H. Comparison of the effect on

intragastric pH of a single dose of omeprazole or rabeprazole: which is suitable for on-demand therapy? **J Gastroenterol Hepatol.** 2003;18(9):1034–8.

34. Nakajima A. Matsuhashi N, Nishi Y, Nagoshi D, Kanemoto H, Epidemic enterocolitis possibly as a result of Norwalk virus infection presenting as ischemic colitis **Digestive Endoscopy.** 2003;15:138–141.
35. Aoki K, Nakajima A, Mukasa K, Osawa E, Mori Y, Sekihara H. Prevention of diabetes, hepatic injury, and colon cancer with dehydroepiandrosterone. **J Steroid Biochem Mol Biol.** 2003 ;85(2–5):469–72. Review.
36. Inamori M, Togawa J, Kawamura H, Abe Y, Naitoh H, Nagase H, Nakajima A, Saito T, Tominaga S, Ueno N, Tanaka K, Sekihara H. Severe ulceration of the stomach after endoscopic injection sclerotherapy. **Endoscopy.** 2003;35(12):1082.
37. Matsuhashi N, Nakajima A, Nomura S, Kaminishi M. Inflammatory fibroid polyps of the stomach and Helicobacter pylori. **J Gastroenterol Hepatol.** 2004;19(3):346–7.
38. Abe Y, Inamori M, Togawa J, Kikuchi T, Muramatsu K, Chiguchi G, Kawamura H, Kobayashi N, Kirikoshi H, Sakaguchi T, Takamura T, Nakajima A, Ueno N, Sekihara H. The comparative effects of single intravenous doses of omeprazole and famotidine on intragastric pH. **J Gastroenterol.** 2004;39(1):21–5.
39. Iijima H, Neurath MF, Nagaishi T, Glickman JN, Nieuwenhuis EE, Nakajima A, Chen D, Fuss IJ, Utku N, Lewicki DN, Becker C, Gallagher TM, Holmes KV, Blumberg RS. Specific regulation of T helper cell 1-mediated murine colitis by CEACAM1. **J Exp Med.** 2004;199(4):471–82.
40. Katayama K, Wada K, Miyoshi H, Ohashi K, Tachibana M, Furuki R, Mizuguchi H, Hayakawa T, Nakajima A, Kadokami T, Tsutsumi Y, Nakagawa S, Kamisaki Y, Mayumi T. RNA interfering approach for clarifying the PPARgamma pathway using lentiviral vector expressing short hairpin RNA. **FEBS Lett.** 2004;560(1–3):178–82.
41. Chen D, Iijima H, Nagaishi T, Nakajima A, Russell S, Raychowdhury R, Morales V, Rudd CE, Utku N, Blumberg RS. Carcinoembryonic antigen-related cellular adhesion molecule 1

- isoforms alternatively inhibit and costimulate human T cell function. **J Immunol.** 2004;172(6):3535–43.
- 42.Yamada Y, Nakajima A, Sekihara H. Supplement. Anti-apoptotic effect of dehydroepiandrosterone and its role in an aging society. **Intern Med.** 2004 ;43(2):158–60.
- 43.Kudo C, Wada K, Masuda T, Yonemura T, Shibuya A, Fujimoto Y, Nakajima A, Niwa H, Kamisaki Y. Nonylphenol induces the death of neural stem cells due to activation of the caspase cascade and regulation of the cell cycle. **J Neurochem.** 2004;88(6):1416–23.
- 44.Takahashi H, Nakajima A, Sekihara H. Dehydroepiandrosterone (DHEA) and its sulfate (DHEAS) inhibit the apoptosis in human peripheral blood lymphocytes. **J Steroid Biochem Mol Biol.** 2004;88(3):261–4.
- 45.Wada K, Nakajima A, Takahashi H, Yoneda M, Fujisawa N, Ohsawa E, Kadokami T, Kubota N, Terauchi Y, Matsuhashi N, Saubermann LJ, Nakajima N, Blumberg RS. Protective effect of endogenous PPARgamma against acute gastric mucosal lesions associated with ischemia-reperfusion. **Am J Physiol Gastrointest Liver Physiol.** 2004;287(2):G452–8.
- 46.Yoshii T, Mizuno K, Hirose T, Nakajima A, Sekihara H, Ohno S. sPAR-3, a splicing variant of PAR-3, shows cellular localization and an expression pattern different from that of PAR-3 during enterocyte polarization. **Am J Physiol Gastrointest Liver Physiol.** 2005;288(3):G564–70.
- 47.Shimamura T, Yasuda J, Ino Y, Gotoh M, Tsuchiya A, Nakajima A, Sakamoto M, Kanai Y, Hirohashi S. Dysadherin expression facilitates cell motility and metastatic potential of human pancreatic cancer cells. **Cancer Res.** 2004 ;64(19):6989–95.
- 48.Yoneda M, Wada K, Katayama K, Nakajima N, Iwasaki T, Osawa E, Mukasa K, Yamada Y, Blumberg RS, Sekihara H, Nakajima A. A novel therapy for acute hepatitis utilizing dehydroepiandrosterone in the murine model of hepatitis. **Biochem Pharmacol.** 2004 ;68(11):2283–9.
- 49.Iwasaki T, Mukasa K, Yoneda M, Ito S, Yamada Y, Mori Y, Fujisawa N, Fujisawa T, Wada K, Sekihara H, Nakajima A. Marked attenuation of production of collagen type I from cardiac

fibroblasts by dehydroepiandrosterone.
2005;288(6):E1222–8.

Am J Physiol Endocrinol Metab.

50. Katayama K, Wada K, Nakajima A, Kamisaki Y, Mayumi T. Nuclear receptors as targets for drug development: the role of nuclear receptors during neural stem cell proliferation and differentiation. **J Pharmacol Sci.** 2005;97(2):171–6. Review.
51. Schaefer KL, Denevich S, Ma C, Cooley SR, Nakajima A, Wada K, Schlezinger J, Sherr D, Saubermann LJ. Intestinal antiinflammatory effects of thiazolidenedione peroxisome proliferator-activated receptor-gamma ligands on T helper type 1 chemokine regulation include nontranscriptional control mechanisms. **Inflamm Bowel Dis.** 2005;11(3):244–52.
52. Inamori M, Togawa J, Chiguchi G, Abe Y, Kikuchi T, Muramatsu K, Kawamura H, Kobayashi N, Kirikoshi H, Shimamura T, Sakaguchi T, Takamura T, Ueno N, Nakajima A. Evaluation of the effects of anti-secretory drugs on intragastric acidity: is combined therapy with a proton pump inhibitor and an H2 receptor antagonist effective as initial treatment? **J Gastroenterol.** 2005;40(2):213–4.
53. Schaefer KL, Wada K, Takahashi H, Matsuhashi N, Ohnishi S, Wolfe MM, Turner JR, Nakajima A, Borkan SC, Saubermann LJ. Peroxisome proliferator-activated receptor gamma inhibition prevents adhesion to the extracellular matrix and induces anoikis in hepatocellular carcinoma cells. **Cancer Res.** 2005;65(6):2251–9.
54. Togawa J, Inamori M, Fujisawa N, Takahashi H, Yoneda M, Kawamura H, Abe Y, Kirikoshi H, Kobayashi N, Sakaguchi T, Takamura T, Nakajima A, Ueno N, Sekihara H. Efficacy of a triple therapy with rabeprazole, amoxicillin, and faropenem as second-line treatment after failure of initial Helicobacter pylori eradication therapy. **Hepatogastroenterology.** 2005;52(62):645–8.
55. Lu J, Imamura K, Nomura S, Mafune K, Nakajima A, Kadokami T, Kubota N, Terauchi Y, Ishii G, Ochiai A, Esumi H, Kaminishi M. Chemopreventive effect of peroxisome proliferator-activated receptor gamma on gastric carcinogenesis in mice. **Cancer Res.** 2005;65(11):4769–74.

56. Masuda T, Wada K, Nakajima A, Okura M, Kudo C, Kadowaki T, Kogo M, Kamisaki Y. Critical role of peroxisome proliferator-activated receptor gamma on anoikis and invasion of squamous cell carcinoma. *Clin Cancer Res.* 2005;11(11):4012-21.
57. Inamori M, Togawa J, Iwasaki T, Ozawa Y, Kikuchi T, Muramatsu K, Chiguchi G, Matsumoto S, Kawamura H, Abe Y, Kirikoshi H, Kobayashi N, Shimamura T, Kubota K, Sakaguchi T, Saito S, Ueno N, Nakajima A. Early effects of lafutidine or rabeprazole on intragastric acidity: which drug is more suitable for on-demand use? *J Gastroenterol.* 2005;40(5):453-8.
58. Kubota K, Abe Y, Inamori M, Kawamura H, Kirikoshi H, Kobayashi N, Saito S, Ueno N, Nakajima A. Percutaneous transhepatic gallbladder stenting for recurrent acute acalculous cholecystitis after failed endoscopic attempt. *J Hepatobiliary Pancreat Surg.* 2005;12(4):286-9.
59. Iwasaki T, Nakajima A, Yoneda M, Yamada Y, Mukasa K, Fujita K, Fujisawa N, Wada K, Terauchi Y. Serum ferritin is associated with visceral fat area and subcutaneous fat area. *Diabetes Care.* 2005;28(10):2486-91.
60. Katayama K, Wada K, Nakajima A, Kamisaki Y, Mayumi T. Nuclear receptors as targets for drug development: the role of nuclear receptors during neural stem cell proliferation and differentiation. *J Pharmacol Sci.* 2005 Feb;97(2):171-6. Epub 2005 Feb 11
61. Osawa E, Nakajima A, Fujisawa T, Kawamura YI, Toyama-Sorimachi N, Nakagama H, Dohi T. Predominant T helper type 2-inflammatory responses promote murine colon cancers. *Int J Cancer.* 2006;118(9):2232-6.
62. Inamori M, Ueno N, Fujita K, Fujisawa T, Fujisawa N, Yoneda M, Takahashi H, Ikeda T, Kawamura H, Abe Y, Kato A, Kirikoshi H, Kobayashi N, Shimamura T, Kubota K, Saito S, Sakaguchi T, Yamanaka S, Inayama Y, Nakajima A. Education and imaging. Gastrointestinal: Gastrointestinal metastases from malignant melanoma. *J Gastroenterol Hepatol.* 2006;21(1 Pt 2):327.
63. Wada K, Nakajima A, Katayama K, Kudo C, Shibuya A, Kubota N, Terauchi Y, Tachibana M, Miyoshi H, Kamisaki Y, Mayumi T, Kadowaki T, Blumberg RS. Peroxisome proliferator-activated receptor gamma-mediated regulation of neural stem cell proliferation and differentiation. *J Biol Chem.* 2006;281(18):12673-81.

- 64.Iwasaki T, Nakajima A, Yoneda M, Terauchi Y. Relationship between the serum concentrations of C-reactive protein and parameters of adiposity and insulin resistance in patients with type 2 diabetes mellitus. *Endocr J.* 2006;53(3):345–56.
- 65.Ito H, Funahashi S, Yamauchi N, Shibahara J, Midorikawa Y, Kawai S, Kinoshita Y, Watanabe A, Hippo Y, Ohtomo T, Iwanari H, Nakajima A, Makuuchi M, Fukayama M, Hirata Y, Hamakubo T, Kodama T, Tsuchiya M, Aburatani H. Identification of ROBO1 as a novel hepatocellular carcinoma antigen and a potential therapeutic and diagnostic target. *Clin Cancer Res.* 2006;12(11 Pt 1):3257–64.
- 66.Inamori M, Shimamura T, Nagase H, Abe Y, Umezawa T, Nakajima A, Saito T, Ueno N, Tanaka K, Sekihara H, Togawa J, Kaifu H, Tsuboi H, Kayama H, Tominaga S. mRNA expression of inducible nitric oxide synthase, endothelial nitric oxide synthase and vascular endothelial growth factor in esophageal mucosa biopsy specimens from patients with reflux esophagitis. *Hepatogastroenterology.* 2006;53(69):361–5.
- 67.Kayama H, Inamori M, Togawa J, Shimamura T, Tokita Y, Umezawa T, Sakaguchi T, Naitoh M, Nagase H, Nakajima A, Saito T, Tominaga S, Ueno N, Tanaka K, Sekihara H. Pleural effusions following endoscopic injection sclerotherapy for cirrhotic patients with esophageal varices. *Hepatogastroenterology.* 2006;53(69):376–80.
- 68.Takahashi H, Fujita K, Fujisawa T, Yonemitsu K, Tomimoto A, Ikeda I, Yoneda M, Masuda T, Schaefer K, Saubermann LJ, Shimamura T, Saitoh S, Tachibana M, Wada K, Nakagama H, Nakajima A. Inhibition of peroxisome proliferator-activated receptor gamma activity in esophageal carcinoma cells results in a drastic decrease of invasive properties. *Cancer Sci.* 2006 Sep;97(9):854–60.
- 69.Abe Y, Inamori M, Fujita K, Fujisawa T, Fujisawa N, Yoneda M, Takahashi H, Ikeda T, Hara K, Akiyama T, Kawamura H, Kato A, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Sasaki T, Inayama Y, Ueno N, Nakajima A. Gastrointestinal: rectal polyp associated with schistosomiasis. *J Gastroenterol Hepatol.* 2006;21(7):1216.
- 70.Hayashi M, Inamori M, Goto K, Akiyama T, Fujita K, Ikeda I, Fujisawa T, Takahashi H, Yoneda M, Hara K, Abe Y, Kirikoshi H, Kubota K, Saito S, Ueno N, Nakajima A, Hamada Y,

- Fukutomi H, Satsuta H. Blastocystis hominis infection in patient with regular dialysis. *J Gastroenterol*. 2006;41(6):605–6.
- 71.Wada K, Arita M, Nakajima A, Katayama K, Kudo C, Kamisaki Y, Serhan CN. Leukotriene B4 and lipoxin A4 are regulatory signals for neural stem cell proliferation and differentiation. *FASEB J*. 2006;20(11):1785–92.
- 72.Inamori M, Akiyama T, Akimoto K, Takahashi H, Abe Y, Nakajima A. Evaluation of postprandial 3 h pH monitoring for gastroesophageal reflux disease: is there a possibility of streamlining the 24 h test? *J Gastroenterol Hepatol*. 2006;21(11):1761–2.
- 73.Kubota K, Kakuta Y, Kawamura S, Abe Y, Inamori M, Kawamura H, Kirikoshi H, Kobayashi N, Saito S, Nakajima A. Undifferentiated spindle-cell carcinoma of the gallbladder: an immunohistochemical study. *J Hepatobiliary Pancreat Surg*. 2006;13(5):468–71.
- 74.Nagaishi T, Iijima H, Nakajima A, Chen D, Blumberg RS. Role of CEACAM1 as a regulator of T cells. *Ann NY Acad Sci*. 2006;1072:155–75. Review.
- 75.Nagaishi T, Pao L, Lin SH, Iijima H, Kaser A, Qiao SW, Chen Z, Glickman J, Najjar SM, Nakajima A, Neel BG, Blumberg RS. SHP1 phosphatase-dependent T cell inhibition by CEACAM1 adhesion molecule isoforms. *Immunity*. 2006; (5):769–81.
- 76.Schaefer KL, Takahashi H, Morales VM, Harris G, Barton S, Osawa E, Nakajima A, Saubermann LJ. PPARgamma inhibitors reduce tubulin protein levels by a PPARgamma, PPARdelta and proteasome-independent mechanism, resulting in cell cycle arrest, apoptosis and reduced metastasis of colorectal carcinoma cells. *Int J Cancer*. 2007;120(3):702–13.
- 77.Nomura S, Nakajima A, Ishimine S, Matsuhashi N, Kadokami T, Kaminishi M. Differential expression of peroxisome proliferator-activated receptor in histologically different human gastric cancer tissues. *J Exp Clin Cancer Res*. 2006 ;25(3):443–8.Yamada Y, Sekihara H, Omura M, Yanase T, Takayanagi R, Mune T, Yasuda K, Ishizuka T, Ueshiba H, Miyachi Y, Iwasaki T, Nakajima A, Nawata H. Changes in serum sex hormone profiles after short-term low-dose administration of dehydroepiandrosterone (DHEA) to young and elderly persons. *Endocr J*. 2007;54(1):153–62.

- 78.Yamada Y, Sekihara H, Omura M, Yanase T, Takayanagi R, Mune T, Yasuda K, Ishizuka T, Ueshiba H, Miyachi Y, Iwasaki T, Nakajima A, Nawata H. Changes in serum sex hormone profiles after short-term low-dose administration of dehydroepiandrosterone (DHEA) to young and elderly persons. *Endocr J.* 2007;54(1):153–62.
- 79.Yamada Y, Sekihara H, Omura M, Yanase T, Takayanagi R, Mune T, Yasuda K, Ishizuka T, Ueshiba H, Miyachi Y, Iwasaki T, Nakajima A, Nawata H. Changes in serum sex hormone profiles after short-term low-dose administration of dehydroepiandrosterone (DHEA) to young and elderly persons. *Endocr J.* 2007;54(1):153–62.
- 80.Yamada Y, Sekihara H, Omura M, Yanase T, Takayanagi R, Mune T, Yasuda K, Ishizuka T, Ueshiba H, Miyachi Y, Iwasaki T, Nakajima A, Nawata H. Changes in serum sex hormone profiles after short-term low-dose administration of dehydroepiandrosterone (DHEA) to young and elderly persons. *Endocr J.* 2007;54(1):153–62.
- 81.Ihara A, Wada K, Yoneda M, Fujisawa N, Takahashi H, Nakajima A. Blockade of leukotriene B₄ signaling pathway induces apoptosis and suppresses cell proliferation in colon cancer. *J Pharmacol Sci.* 2007;103(1):24–32.
- 82.Kobayashi N, Hiraoka N, Yamagami W, Ojima H, Kanai Y, Kosuge T, Nakajima A, Hirohashi S. FOXP3+ regulatory T cells affect the development and progression of hepatocarcinogenesis. *Clin Cancer Res.* 2007;13(3):902–11.
- 83.Goto K, Hayashi M, Inamori M, Akiyama T, Ikeda T, Fujita K, Ikeda I, Fujisawa T, Takahashi H, Yoneda M, Hara K, Yasuzaki H, Abe Y, Kirikoshi H, Kubota K, Saito S, Kawana I, Ueno N, Sakashita T, Nakajima A. Education and imaging. Gastrointestinal: diphyllolothriasis. *J Gastroenterol Hepatol.* 2007;22(3):445.
- 84.Kubota K, Fujisawa T, Abe Y, Inamori M, Kirikoshi H, Saito S, Nakajima A. Clinical significance of the duodenal papilla in patients with separate orifices for the bile and pancreatic ducts. *J Gastroenterol.* 2007;42(1):70–8.
- 85.Yoneda M, Iwasaki T, Fujita K, Kirikoshi H, Inamori M, Nozaki Y, Maeyama S, Wada K, Saito S, Terauchi Y, Nakajima A. Hypoadiponectinemia plays a crucial role in the development of nonalcoholic Fatty liver disease in patients with type 2 diabetes mellitus independent of visceral adipose tissue. *Alcohol Clin Exp Res.* 2007;31(1 Suppl):S15–21.
- 86.Ishida H, Wada K, Masuda T, Okura M, Kohama K, Sano Y, Nakajima A, Kogo M, Kamisaki Y. Critical role of estrogen receptor on anoikis and invasion of squamous cell carcinoma. *Cancer Sci.* 2007;98(5):636–43.
- 87.Yamanaka H, Inamori M, Fujisawa N, Akimoto K, Akiyama T, Fujita K, Takahashi H, Yoneda M, Abe Y, Kirikoshi H, Kubota K, Saito S, Ueno N, Nakajima A. Two cases of pyloduodenal stenosis: the efficiency of gastric emptying evaluation using ¹³C continuous breath test (BreathID System). *Digestion.* 2006;74(3–4):238.

88. Fujita K, Yoneda M, Wada K, Mawatari H, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Maeyama S, Saito S, Iwasaki T, Terauchi Y, Nakajima A. Telmisartan, An Angiotensin II Type 1 Receptor Blocker, Controls Progress of Nonalcoholic Steatohepatitis in Rats. **Dig Dis Sci.** 2007;52(12):3455–64.
89. Yoneda M, Fujita K, Inamori M, Tamano M, Hiraishi H, Nakajima A Transient elastography in patients with non-alcoholic fatty liver disease (NAFLD). **Gut.** 2007;56(9):1330–1.
90. Sato T, Chiguchi G, Inamori M, Sakai H, Fujisawa N, Akiyama T, Akimoto K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kubota K, Ueno N, Nakajima A. Protein-losing gastroenteropathy and gastric polyps: successful treatment by Helicobacter pylori eradication. **Digestion.** 2007;75(2–3):99.
91. Yoneda M, Inamori M, Iwasaki T, Akiyama T, Fujita K, Takahashi H, Abe Y, Kubota K, Ueno N, Shiiba M, Abe A, Nagashima T, Inoue T, Nakajima A. Balloon-occluded retrograde transvenous obliteration for gastric varices with plural draining veins: effectiveness of coil embolization for collaterals. **Digestion.** 2007;75(2–3):100.
92. Sato T, Sakai H, Iida H, Inamori M, Akiyama T, Akimoto K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kubota K, Saito S, Ueno N, Takeshita Y, Nakajima A. Protein-losing gastroenteropathy in a patient with pityriasis rubra pilaris. **Digestion.** 2007;75(2–3):98.
93. Yoneda M, Mawatari H, Fujita K, Yonemitsu K, Kato S, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Abe Y, Kubota K, Saito S, Iwasaki T, Terauchi Y, Togo S, Maeyama S, Nakajima A. Type IV collagen 7s domain is an independent clinical marker of the severity of fibrosis in patients with nonalcoholic steatohepatitis before the cirrhotic stage. **J Gastroenterol.** 2007;42(5):375–81.
94. Sakai H, Inamori M, Sato T, Tomimoto A, Akiyama T, Akimoto K, Endo H, Fujita K, Takahashi H, Yoneda M, Abe Y, Kirikoshi H, Kubota K, Saito S, Ueno N, Nakajima A. Colocutaneous fistula after percutaneous endoscopic gastrostomy. **Digestion.** 2007;75(2–3):103.
95. Inamori M, Akiyama T, Akimoto K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kubota K, Saito S, Ueno N, Nakajima A. Early effects of peppermint oil on gastric emptying: a crossover study using a continuous real-time ¹³C breath test (BreathID system). **J Gastroenterol.** 2007;42(7):539–42.
96. Inamori M, Akimoto K, Akiyama T, Fujita K, Takahashi H, Yoneda M, Abe Y, Kirikoshi H, Kubota K, Saito S, Ueno N, Nakajima A. Is oral combination therapy with a proton-pump inhibitor and H₂ receptor antagonist effective as initial treatment? **J Gastroenterol.** 2007;42(6):510–1.
97. Yoneda M, Mawatari H, Fujita K, Iida H, Yonemitsu K, Kato S, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Abe Y, Kubota K, Saito S, Iwasaki T, Terauchi Y, Togo S, Maeyama S,

- Nakajima A. High-sensitivity C-reactive protein is an independent clinical feature of nonalcoholic steatohepatitis (NASH) and also of the severity of fibrosis in NASH. *J Gastroenterol.* 2007;42(7):573–82.
98. Yanagisawa S, Inamori M, Endo H, Iida H, Akimoto K, Sakamoto Y, Akiyama T, Fujita K, Yoneda M, Takahashi H, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Ueno N, Nakajima A. Knee pain and swelling secondary to ulcerative colitis. *Digestion.* 2007;75(2–3):144.
99. Abe Y, Inamori M, Akimoto K, Endo H, Iida H, Mawatari H, Nozaki Y, Akiyama T, Sakamoto Y, Fujita K, Takahashi H, Yoneda M, Kobayashi N, Kubota K, Ueno N, Nakajima A. Gastric bleeding after endoscopic injection sclerotherapy for esophageal varices. *Digestion.* 2007;75(2–3):145.
100. Kawamura H, Inamori M, Akiyama T, Akimoto K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kubota K, Ueno N, Inayama Y, Harada H, Rino Y, Nakajima A. Argon plasma coagulation for a bleeding gastrointestinal stromal tumor. *Digestion.* 2007;75(2–3):164.
101. Sakai H, Inamori M, Iida H, Akimoto K, Endo H, Nozaki Y, Akiyama T, Sakamoto Y, Fujita K, Takahashi H, Yoneda M, Abe Y, Kubota K, Ueno N, Kusakabe A, Nakajima A. Recovery of a Misinserted Gastrostomy Tube during Replacement: Effectiveness of Gastropexy Using a 'Funada Style' Kit. *Digestion.* 2007;75(4):179.
102. Sakai E, Takahashi H, Inamori M, Endo H, Akiyama T, Akimoto K, Mawatari H, Nozaki Y, Fujita K, Yoneda M, Goto A, Abe Y, Kobayashi N, Kubota K, Ueno N, Nakajima A. Utility of Endoscopic Argon Plasma Coagulation in the Treatment of Radiation Proctitis. *Digestion.* 2007;75(4):180.
103. Yoneda M, Saito S, Ikeda T, Fujita K, Mawatari H, Kirikoshi H, Inamori M, Nozaki Y, Akiyama T, Takahashi H, Abe Y, Kubota K, Iwasaki T, Terauchi Y, Togo S, Nakajima A. Hepatitis C virus directly associates with insulin resistance independent of the visceral fat area in nonobese and nondiabetic patients. *J Viral Hepat.* 2007;14(9):600–7.
104. Iwasaki T, Yoneda M, Kawasaki S, Fujita K, Nakajima A, Terauchi Y. Hepatic fat content-independent association of the serum level of gamma-glutamyltransferase with visceral adiposity, but not subcutaneous adiposity. *Diabetes Res Clin Pract.* 2008 Jan;79(1):e13–4. Epub 2007 Aug 14.
105. Endo H, Inamori M, Murakami T, Yoshida K, Takuma Higurashi, Iida H, Takahashi H, Akiyama T, Akimoto K, Sakamoto Y, Fujita K, Yoneda M, Abe Y, Kobayashi N, Kubota K, Nakajima A. Usefulness of Transnasal Ultrathin Endoscopy for the Placement of a Postpyloric Decompression Tube. *Digestion.* 2007 ;75(4):181 [Epub ahead of print]
106. Yanagiya T, Tanabe A, Iida A, Saito S, Sekine A, Takahashi A, Tsunoda T, Kamohara S, Nakata Y, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Masuzaki H, Yoneda M, Nakajima A, Miyazaki S, Tokunaga K, Kawamoto M, Funahashi T, Hamaguchi K, Tanaka K, Yamada

- K, Hanafusa T, Oikawa S, Yoshimatsu H, Nakao K, Sakata T, Matsuzawa Y, Kamatani N, Nakamura Y, Hotta K. Association of single-nucleotide polymorphisms in MTMR9 gene with obesity. *Hum Mol Genet*. 2007;16(24):3017–26.
107. Endo H, Kondo Y, Kawagoe K, Ohya TR, Yanagawa T, Asayama M, Hisatomi K, Teratani T, Yoneda M, Inamori M, Nakajima A, Matsuhashi N. Lupus enteritis detected by capsule endoscopy. *Intern Med*. 2007;46(18):1621–2.
108. Sakai E, Inokuchi Y, Inamori M, Uchiyama T, Iida H, Takahashi H, Akiyama T, Akimoto K, Sakamoto Y, Fujita K, Yoneda M, Abe Y, Kobayashi N, Kubota K, Saito S, Nakajima A. Rectal Fecaloma: Successful Treatment Using Endoscopic Removal. *Digestion*. 2007;75(4):198.
109. Iwasaki T, Yoneda M, Nakajima A, Terauchi Y. Serum butyrylcholinesterase is strongly associated with adiposity, the serum lipid profile and insulin resistance. *Intern Med*. 2007;46(19):1633–9. Epub 2007 Oct 1.
110. Yoneda M, Endo H, Nozaki Y, Tomimoto A, Fujisawa T, Fujita K, Yoneda K, Takahashi H, Saito S, Iwasaki T, Yamamoto S, Tsutsumi S, Aburatani H, Wada K, Hotta K, Nakajima A. Life style-related diseases of the digestive system: gene expression in nonalcoholic steatohepatitis patients and treatment strategies. *J Pharmacol Sci*. 2007;105(2):151–6. . Saito S, Heller T, Yoneda M, Takahashi H, Nakajima A, Liang JT. Lifestyle-related diseases of the digestive system: a new in vitro model of hepatitis C virion production: application of basic research on hepatitis C virus to clinical medicine. *J Pharmacol Sci*. 2007;105(2):138–44.
111. Wada K, Sakamoto H, Nishikawa K, Sakuma S, Nakajima A, Fujimoto Y, Kamisaki Y. Life style-related diseases of the digestive system: endocrine disruptors stimulate lipid accumulation in target cells related to metabolic syndrome. *J Pharmacol Sci*. 2007;105(2):133–7.
112. Takahashi H, Yoneda K, Tomimoto A, Endo H, Fujisawa T, Iida H, Mawatari H, Nozaki Y, Ikeda T, Akiyama T, Yoneda M, Inamori M, Abe Y, Saito S, Nakajima A, Nakagama H. Life style-related diseases of the digestive system: colorectal cancer as a life style-related disease: from carcinogenesis to medical treatment. *J Pharmacol Sci*. 2007 Oct;105(2):129–32. PMID: 17928742 doi: 10.1254/jphs.fm0070022. Epub 2007 Oct 6
113. Nakajima A, Wada K. Life style-related diseases of the digestive system: from molecular mechanisms to therapeutic strategies: preface. *J Pharmacol Sci*. 2007 Oct;105(2):127–8. PMID: 17928743 doi: 10.1254/jphs.fm0070019. Epub 2007 Oct 6.
114. Shimamura T, Royal RE, Kioi M, Nakajima A, Husain SR, Puri RK. Interleukin-4 cytotoxin therapy synergizes with gemcitabine in a mouse model of pancreatic ductal adenocarcinoma. *Cancer Res*. 2007;67(20):9903–12.

115. Sakai H, Inamori M, Sato T, Akimoto K, Akiyama T, Fujita K, Yoneda M, Takahashi H, Goto A, Kusakabe A, Abe Y, Kirikoshi H, Kubota K, Ueno N, Rino Y, Nakajima A. Giant subcutaneous abscess after percutaneous endoscopic gastrostomy. *Endoscopy*. 2007 Feb;39 Suppl 1:E264.
116. Akimoto K, Inamori M, Akiyama T, Endo H, Fujita K, Yoneda M, Takahashi H, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Ueno N, Nakajima A. Sclerosant extravasation following endoscopic injection sclerotherapy for bleeding gastric varices. *Endoscopy*. 2007 39 Suppl 1:E242
117. Ikeda I, Tomimoto A, Wada K, Fujisawa T, Fujita K, Yonemitsu K, Nozaki Y, Endo H, Takahashi H, Yoneda M, Inamori M, Kubota K, Saito S, Nagashima Y, Nakagama H, Nakajima A. 5-Aminosalicylic Acid Given in the Remission Stage of Colitis Suppresses Colitis-Associated Cancer in a Mouse Colitis Model. *Clin Cancer Res*. 2007;13(21):6527–6531.
118. Kubota K, Iida H, Fujisawa T, Yoneda M, Inamori M, Abe Y, Kirikoshi H, Saito S, Ohshiro H, Kakuta Y, Nakajima A. Clinical factors predictive of spontaneous remission or relapse in cases of autoimmune pancreatitis. *Gastrointest Endosc*. 2007;66(6):1142–1151.
119. Kubota K, Iida H, Fujisawa T, Ogawa M, Inamori M, Saito S, Kakuta Y, Oshiro H, Nakajima A. Clinical significance of swollen duodenal papilla in autoimmune pancreatitis. *Pancreas*. 2007;35(4):e51–60.
120. Yoneda M, Yoneda M, Mawatari H, Fujita K, Endo H, Iida H, Nozaki Y, Yonemitsu K, Takuma Higurashi, Takahashi H, Kobayashi N, Kirikoshi H, Abe Y, Inamori M, KubotaK, Saito S, Tamano M, Hiraishi H, Maeyama S, Yamaguchi N, Togo S, Nakajima A. Noninvasive assessment of liver fibrosis by measurement of stiffness in patients with nonalcoholic fatty liver disease (NAFLD). *Dig Liver Dis*. 2008 May;40(5):371–8. Epub 2007 Dec 20.
121. Iwasaki T, Togashi Y, Ohshige K, Yoneda M, Fujita K, Nakajima A, Terauchi Y. Neither the presence of metabolic syndrome as defined by the IDF guideline nor an increased waist circumference increased the risk of microvascular or macrovascular complications in Japanese patients with type 2 diabetes. *Diabetes Res Clin Pract*. 2008 Mar;79(3):427–32.
122. Akiyama T, Inamori M, Saito S, Takahashi H, Yoneda M, Fujita K, Fujisawa T, Abe Y, Kirikoshi H, Kubota K, Ueda M, Tanaka K, Togo S, Ueno N, Shimada H, Nakajima A. Levovist ultrasonography imaging in intracystic hemorrhage of simple liver cyst. *World J Gastroenterol*. 2008;14(5):805–7.
123. Iida H, Inamori M, Sekino Y, Endo H, Akiyama T, Fujita K, Takahashi H, Yoneda M, Kobayashi N, Abe Y, Kirikoshi H, Kubota K, Saito S, Oshiro H, Rino Y, Nakajima A. Acute appendicitis associated with Peutz-Jeghers-type hamartoma of the appendix. *Dig Dis Sci*. 2008; 53 (10): 2832–2833.

124. Kobayashi N, Inamori M, Fujita K, Fujisawa T, Fujisawa N, Takahashi H, Yoneda M, Abe Y, Kawamura H, Shimamura T, Kirikoshi H, Kubota K, Sakaguchi T, Saito S, Saubermann LJ, Nakajima A. Characterization of K-ras Gene Mutations in Association with Mucinous Hypersecretion in Intraductal Papillary-Mucinous Neoplasms. *J Hepatobiliary Pancreat Surg*. 2008;15(2):169–77.
125. Sakai E, Takahashi H, Inamori M, Endo H, Akiyama T, Akimoto K, Mawatari H, Nozaki Y, Fujita K, Yoneda M, Goto A, Abe Y, Kobayashi N, Kubota K, Saito S, Nakajima A. Usefulness of multidetector computed tomography for detection of the obstructive point in a patient with ileus. *Dig Dis Sci*. 2008 Dec;53(12):3264.
126. Nozaki Y, Kobayashi N, Shimamura T, Akiyama T, Inamori M, Iida H, Endo H, Fujita K, Yoneda M, Takahashi H, Abe Y, Kirikoshi H, Kubota K, Saito S, Nakajima A. Colonic metastasis from hepatocellular carcinoma: manifested by gastrointestinal bleeding. *Dig Dis Sci*. 2008 Dec;53(12):3265–6.
127. Nakao S, Akimoto K, Inamori M, Suzuki A, Suzuki K, Iida H, Endo H, Akiyama T, Fujita K, Yoneda M, Takahashi H, Abe Y, Kobayashi N, Kubota K, Yamanaka S, Nakajima A. Antiphospholipid syndrome manifested by gastrointestinal bleeding: Can we overlook endoscopically-revealed small lesions? *Digestion*. 2008 Apr 22;77(3–4):139–140 [Epub ahead of print]
128. Endo H, Matsuhashi N, Inamori M, Akimoto K, Ohya T, Yanagawa T, Asayama M, Hisatomi K, Teratani T, Fujita K, Yoneda M, Nakajima A. Rebleeding rate after interventional therapy directed by capsule endoscopy in patients with obscure gastrointestinal bleeding. *BMC Gastroenterol*. 2008 Apr 23;8(1):12 [Epub ahead of print]
129. Endo H, Kondo Y, Inamori M, Ohya TR, Yanagawa T, Asayama M, Hisatomi K, Teratani T, Yoneda M, Nakajima A, Matsuhashi N. Ingesting 500 ml of Polyethylene Glycol Solution During Capsule Endoscopy Improves the Image Quality and Completion Rate to the Cecum. *Dig Dis Sci*. 2008 Dec;53(12):3201–5.
130. Yoneda M, Nozaki Y, Endo H, Fujita K, Nakajima A. Reply to "High-sensitivity C-reactive protein and metabolic syndrome (insulin resistance syndrome) including nonalcoholic steatohepatitis". *J Gastroenterol*. 2008;43(4):313. Epub 2008 May 6.
131. Hotta K, Nakata Y, Matsuo T, Kamohara S, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Masuzaki H, Yoneda M, Nakajima A, Miyazaki S, Tokunaga K, Kawamoto M, Funahashi T, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Nakao K, Sakata T, Matsuzawa Y, Tanaka K, Kamatani N, Nakamura Y. Variations in the FTO gene are associated with severe obesity in the Japanese. *J Hum Genet*. 2008;53(6):546–53. Epub 2008 Apr 1.

132. Tachibana M, Tezuka C, Muroi S, Nishimoto S, Katsumoto T, Nakajima A, Kitabayashi I, Taniuchi I. Phosphorylation of Runx1 at Ser249, Ser266, and Ser276 is dispensable for bone marrow hematopoiesis and thymocyte differentiation. *Biochem Biophys Res Commun.* 2008 Apr 11;368(3):536–42, PMID: 18261462 doi: 10.1016/j.bbrc.2008.01.124. Epub 2008 Feb 6.
133. Tachibana M, Wada K, Katayama K, Kamisaki Y, Maeyama K, Kadokawa T, Blumberg RS, Nakajima A. Activation of peroxisome proliferator-activated receptor γ suppresses mast cell maturation involved in allergic disease. *Allergy.* 2008 Sep;63(9):1136–47, PMID: 18547288 PMCID: PMC4023568 doi: 10.1111/j.1398-9995.2008.01677.x. Epub 2008 Jun 10.
134. Nakajima A[†], Fujisawa T[†], Fujisawa N, Takahashi H, Ikeda I, Tsumimoto A, Yonemitsu K, Nakajima N, Wada K, Nakagama H, Blumberg RS[[†]These authors contributed equally to this work]. PPAR γ suppresses colonic epithelial cell turnover and colon carcinogenesis through inhibition of the β -catenin/TCF pathway. *Journal of Pharmacological Science.* 2008 Apr;106(4):627–38, PMID: 18391483 doi: 10.1254/jphs.fp0071766. Epub 2008 Apr 5
135. Mawatari H, Kirikoshi H, Yoneda M, Takuma Higurashi, Fujita K, Saito S, Inamori M, Takahashi H, Abe Y, Kubota K, Nakajima A. Effective treatment for advanced hepatocellular carcinoma with portal venous invasion using a combination therapy of intra-arterial 5-fluorouracil and subcutaneous pegylated-interferon-alpha-2b. *Hepato-Gastroenterology* 2008 Sep-Oct;55(86–87):1776–7.
136. Kubota K, Kakuta Y, Inayama Y, Yoneda M, Abe Y, Inamori M, Kirikoshi H, Saito S, Nakajima A, Sugimori K, Matuo K, Kazunaga T, Shimada H. Clinicopathological study of resected cases with primary carcinoma of the cystic duct. *Hepato-Gastroenterology.* 2008 Jul-Aug;55(85):1174–8.
137. Tsuzawa K, Fujisawa N, Sekino Y, Suzuki K, Saito K, Koyama S, Tanaka M, Wada A, Inamori M, Kubota K, Nakajima A. EDUCATION AND IMAGING Gastrointestinal: Intestinal spirochetosis. *J Gastroenterol Hepatol.* 2008 Jul;23(7 Pt 1):1160.
138. Endo H, Matsuhashi N, Inamori M, Ohya T, Yanagawa T, Asayama M, Hisatomi K, Teratani T, Fujita K, Yoneda M, Nakajima A. Tumorous arteriovenous malformation in the jejunum missed by capsule endoscopy. *Gastrointestinal Endoscopy.* 2008 Oct;68(4):773–4; discussion 774.
139. Ikeda T, Inamori M, Fujisawa N, Iwasaki T, Akiyama T, Akimoto K, Mawatari H, Iida H, Endo H, Nozaki Y, Sakamoto Y, Fujita K, Takahashi H, Yoneda M, Yoneda K, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Effects of body positions on gastric emptying with enteral nutrition: a crossover study using a continuous real time ^{13}C breath test (BreathID system). *Hepato-Gastroenterology.* 2008 Sep-Oct;55(86–87):1905–7.
140. Iida H, Inamori M, Akimoto K, Mawatari H, Endo H, Nozaki Y, Akiyama T, Ikeda T, Sakamoto Y, Fujita K, Yoneda K, Takahashi H, Yoneda M, Goto A, Abe Y, Kobayashi N,

- Kirikoshi H, Kubota K, Saito S, Nakajima A. Early effects of intravenous administrations of lansoprazole and famotidine on intragastric pH. **Hepato–Gastroenterology**. Accepted in 2008. 2009 Mar–Apr;56(90):551–4.
141. Akiyama T, Inamori M, Akimoto K, Iida H, Mawatari H, Endo H, Nozaki Y, Yoneda K, Ikeda T, Sakamoto Y, Fujita K, Yoneda M, Takahashi H, Goto A, Hirokawa S, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Rino Y, Nakajima A. Gastric surgery is not a risk factor for the development or progression of Barrett's epithelium. **Hepato–Gastroenterology**. 2008 Sep–Oct;55(86–87):1899–904.
142. Suzuki K, Takahashi H, Fujisawa N, Sekino Y, Akimoto K, Tomimoto A, Saito K, Yoneda M, Inamori M, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Koyama S, Nakajima A. Gastric ulcer following a thrombotic aneurism of the splenic artery. **Endoscopy**. 2008 Aug;40 Suppl 2:E193–4.
143. Kobayashi N, Kirikoshi H, Takuma Higurashi, Iida H, Mawatari H, Endo H, Nozaki Y, Yoneda K, Akiyama T, Fujita K, Yoneda M, Takahashi H, Abe Y, Inamori M, Kubota K, Saito S, Ueno N, Nakajima A. Tumor fragment impacted at the major duodenal papilla causing obstructive jaundice in a patient with hepatocellular carcinoma (HCC). **Gastrointestinal Endoscopy**. 2008 Nov;68(5):999–1000; discussion 1000.
144. Fujita K, Nozaki Y, Yoneda M, Wada K, Takahashi H, Kirikoshi H, Inamori M, Saito S, Iwasaki T, Terauchi Y, Maeyama S, Nakajima A. Nitric oxide plays a crucial role in the development/progression of nonalcoholic steathepatitis (NASH) in the choline deficient, l–amino acid–deficient (CDAA) diet–fed rat model. **Alcohol Clin Exp Res**. 2008 Oct 30. [Epub ahead of print], 2010 Feb;34 Suppl 1:S18–24. Epub 2009 Nov 5.
145. Yoneda K, Tomimoto A, Endo H, Iida H, Sugiyama M, Takahashi H, Nozaki Y, Fujita K, Yoneda M, Inamori M, Nakajima N, Wada K, Nagashima Y, Nakagama H, Nakajima A. Expression of Adiponectin receptors, AdipoR1 and AdipoR2, in normal colon epithelium and colon cancer tissue. **Oncology Reports**, 2008; 20 (3): 479–83.
146. Kobayashi N, Takuma Higurashi, Iida H, Mawatari H, Endo H, Nozaki Y, Tomimoto A, Yoneda K, Akiyama T, Koji F, Takahashi H, Yoneda M, Abe Ysunobu, Kirikoshi H, Kubota K, Saito S, Ueno N, Nakajima A, Yamanaka S, Inayama Y. Adenosequamous carcinoma of pancreas associated with Humoral Hypercalcemia of Malignancy (HHM). **J Hepatobiliary Pancreat Surg**. 2008;15(5):531–5, 1.182
147. Fujita K, Nozaki Y, Yoneda M, Wada K, Endo H, Mawatari H, Takahashi H, Inamori M, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Effectiveness of antiplatelet drugs on experimental non–alcoholic fatty liver disease. **Gut**. 2008;57(11):1583–91.

148. Nakajima A, Tomimoto A, Fujita K, Sugiyama M, Takahashi H, Ikeda I, Hosono K, Endo H, Yoneda K, Iida H, Inamori M, Kubota K, Saito S, Nakajima N, Wada K, Nagashima Y, Nakagama H. Inhibition of Peroxisome Proliferator-Activated Receptor Gamma Activity Suppresses Pancreatic Cancer Cell Motility. *Cancer Science*. 2008;99 (10):1892–900.
149. Akiyama T, Inamori M, Akimoto K, Iida H, Mawatari H, Endo H, Nozaki Y, Yoneda K, Sakamoto Y, Ikeda T, Fujita F, Yoneda M, Takahashi H, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Gender differences in the age-stratified prevalence of erosive esophagitis and Barrett's epithelium in Japan. *Hepato-gastroenterology*. 56(89):144–8. 2009
150. Suzuki K, Kawabe T, Takahashi H, Nakao S, Suzuki A, Inamori M, Iida H, Endo H, Akiyama T, Fujita K, Yoneda M, Abe Y, Kobayashi N, Kubota K, Oshiro H, Nakajima A. Collagenous colitis in Japanese woman: successful treatment by mesalazine. *Digestion*. 77(3–4):155–156. 2008
151. Suzuki K, Nakao S, Suzuki A, Inamori M, Iida H, Endo H, Akiyama T, Yoneda K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kobayashi N, Kubota K, Saito S, Nakajima A. Ulcerative colitis with positivity for proteinase 3-antineutrophil cytoplasmic antibody. *Digestion*. 77(3–4):157–158. 2008
152. Suzuki A, Yabushita Y, Takahashi H, Inamori M, Nakao S, Suzuki K, Iida H, Endo H, Akiyama T, Ikeda T, Sakamoto Y, Fujita K, Yoneda M, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Education and Imaging. Gastrointestinal: Ascaris lumbricoidosis manifested by gastrointesitinal bleeding. *J Gastroenterol Hepatol*. 23(11):1770. 2008
153. Yoneda M, Endo H, Mawatari H, Nozaki Y, Fujita K, Akiyama T, Takuma Higurashi, Uchiyama T, Yoneda K, Takahashi H, Kirikoshi H, Inamori M, Abe Y, Kubota K, Saito S, Kobayashi N, Yamaguchi N, Maeyama S, Yamamoto S, Tsutsumi S, Aburatani H, Wada K, Hotta K, Nakajima A. Gene Expression Profiling of Nonalcoholic Steatohepatitis (NASH) by Gene Set Enrichment Analysis (GSEA). *Hepatology Research*. ;38(12):1204–12. 2008
154. Hotta K, Nakamura M, Nakata Y, Matsuo T, Kamohara S, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Masuzaki H, Yoneda M, Nakajima A, Miyazaki S, Tokunaga K, Kawamoto M, Funahashi T, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Nakao K, Sakata T, Matsuzawa Y, Tanaka K, Kamatani N, Nakamura N. *INSIG2* gene rs7566605 polymorphism is associated with severe obesity in the Japanese. *J Hum Genet*;53 (9):857–62. 2008
155. Inamori M, Iida H, Endo H, Hosono K, Akiyama T, Yoneda K, Fujita K, H Iwasaki, Takahashi H, Yoneda M, Goto A, Abe Y, Kobayashi N, Kubota K, Nakajima A. *Aperitif*

- effects on gastric emptying: a crossover study using continuous real time ^{13}C breath test (BreathID system). *Dig Dis Sci.* 54(4):816–8. 2009
156. Abe Y, Inamori M, Uchiyama T, Iida H, Akimoto K, Mawatari H, Nozaki Y, Hosono K, Endo H, Akiyama T, Yoneda K, Fujita K, Yoneda M, Takahashi H, Goto A, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Gastrointestinal: Aneurysmal artery in a gastric ulcer following endoscopic hemostasis. *J Gastroenterol Hepatol* ;24(2):323. 2009
157. Yoneda M, Hotta K, Nozaki Y, Endo H, Uchiyama T, Mawatari H, Iida H, Kato K, Hosono K, Fujita K, Yoneda K, Takahashi H, Kirikoshi H, Kobayashi N, Inamori M, Abe Y, Kubota K, Saito S, Maeyama S, Wada K, Nakajima A. Association between PPARC1A polymorphisms and the occurrence of nonalcoholic fatty liver disease (NAFLD). *BMC Gastroenterology.* ;8(1):27. 2008
158. Hosono K, Endo H, Inamori M, Mawatari H, Iida H, Nozaki Y, Yoneda K, Akiyama T, Fujita K, Yoneda M, Takahashi H, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Severe large-intestine involvement in adult-onset Henoch-Schonlien purpura: Successful treatment with factor XIII concentrate. *Digestion.*;78(1):9. 2008
159. Kitai Y, Takahashi H, Goto A, Iida H, Mawatari H, Fujita K, Yoneda M, Inamori M, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Chemotherapeutic treatment of priapism in metastatic rectal cancer *Case Reports in Gastroenterology* ;2:505–508. 2008
160. Hattori Y, Takuma Higurashi, Takahashi H, Inamori M, Abe Y, Rino Y, Nakajima A. Gastric varices with remarkable collateral veins in valproic acid induced chronic pancreatitis. *Case Reports in Gastroenterology* ;2:279–282.2008
161. Hattori Y, Kobayashi S, Takahashi H, Yoneda M, Inamori M, Abe Y, Kubota K, Saito S, Nakajima A. Gastric inflammatory fibroid polyp treated by endoscopic submucosal dissection. *Case Reports in Gastroenterology* 2008 Aug 19;2(2):283–6. doi: 10.1159/000151330.
162. Endo H, Matsuhashi N, Inamori M, Ohya T, Iida H, Mawatari H, Nozaki Y, Yoneda K, Akiyama T, Fujita K, Takahashi H, Yoneda M, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Abdominal surgery affects small bowel transit time and completeness of capsule endoscopy. *Dig Dis Sci.* 54(5):1066–70. 2009
163. Tomimoto A, Endo H, Sugiyama M, Fujisawa T, Hosono K, Takahashi H, Nakajima N, Nagashima Y, Wada K, Nakagama H, Nakajima A. Metformin suppresses intestinal polyp growth in ApcMin/+ mice. *Cancer Science* ;99 (11):2136–41. 2008
164. Fujisawa T, Endo H, Tomimoto A, Sugiyama M, Takahashi H, Saito S, Inamori M, Nakajima N, Watanabe M, Kubota N, Yamauchi T, Kadokawa T, Wada K, Nakagama H, Nakajima A. Adiponectin Suppresses Colorectal Carcinogenesis under the High-fat Diet Condition. *Gut* ;57 (11):1531–8. 2008

165. Shimamura T, Fujisawa T, Husain SR, Kioi M, Nakajima A, Puri RK. Novel role of IL-13 in fibrosis induced by Non-Alcoholic Steatohepatitis and its amelioration by IL-13 Receptor Directed Cytotoxin in a rat model. *J Immunol* ;181 (7):4656–65 2008
166. Kubota K, Kato S, Akiyama T, Yoneda M, Fujita K, Ogawa M, Inamori M, Kobayashi N, Saito S, Kakuta Y, Ohshiro H, Nakajima A. Differentiating Sclerosing Cholangitis Caused by Autoimmune Pancreatitis and Primary Sclerosing Cholangitis According to Endoscopic Duodenal Papillary Features. *Gastrointestinal Endoscopy*. ;68:1204–1208. 2008
167. Abe Y, Inamori M, Iida H, Endo H, Akiyama T, Yoneda K, Fujita K, Takahashi T, Yoneda M, Hirokawa S, Goto A, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Clinical characteristics of patients with gastric perforation following endoscopic submucosal resection for gastric cancer. *Hepatogastroenterology*. 56(91–92):921–4. 2009
168. Akimoto K, Inamori M, Iida H, Endo H, Akiyama T, Ikeda T, Fujita K, Takahashi H, Yoneda M, Goto A, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Does postprandial coffee intake enhance gastric emptying?: a crossover study using continuous real time ¹³C breath test (BreathID system). *Hepatogastroenterology*. 56(91–92):918–20. 2009
169. Akiyama T, Inamori M, Akimoto K, Iida H, Mawatari H, Endo H, Ikeda T, Nozaki Y, Yoneda K, Sakamoto Y, Fujita K, Yoneda M, Takahashi H, Hirokawa S, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Risk Factors for the Progression of Endoscopic Barrett's Epithelium in Japan: A Multivariate Analysis Based on The Prague C & M Criteria. *Dig Dis Sci*. 2009 Aug;54(8):1702–7. Epub 2008 Nov 12.
170. Sugiyama M, Takahashi H, Hosono K, Endo H, Kato S, Yoneda k, Nozaki Y, Fujita K, Yoneda M, Wada K, Nakagama H, Nakajima A. Adiponectin inhibits colorectal cancer cell growth through the AMPK/mTOR pathway. *Int J Oncol*. 34(2):339–44. 2009
171. Takahashi H, Takayama T, Yoneda K, Endo H, Nozaki Y, Fujita K, Yoneda M, Inamori M, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saitoh S, Nakagama H, Nakajima A. Association of visceral fat accumulation and plasma adiponectin with rectal dysplastic aberrant crypt foci in a clinical population. *Cancer Science* 100(1):29–32. 2009
172. Fujisawa T, Sugiyama M, Tomimoto A, Wada K, Endo H, Takahashi H, Yoneda K, Yoneda M, Inamori M, Saito S, Terauchi Y, Kadokami T, Tsuchiya N, Nakagama H, Nakajima A. Inhibition of peroxisome proliferator-activated receptor g promotes tumorigenesis through activation of the b-catenin/TCF pathway in the mouse intestine. *J Pharmacological Sci*. 108(4):535–44. 2008
173. Yoneda M, Uchiyama T, Kato S, Endo H, Fujita K, Yoneda K, Mawatari H, Iida H, Takahashi H, Kirikoshi H, Inamori M, Nozaki Y, Kobayashi N, Kubota K, Saito S, Maeyama S, Sagara M, Aburatani H, Kodama T, Nakajima A. Plasma Pentraxin3 is a Novel Marker for

- Nonalcoholic Steatohepatitis (NASH). *BMC Gastroenterol.* 8(1):53. 2008 [Epub ahead of print]
174. Endo H, Hosono K, Inamori M, Kato S, Yoneda K, Akiyama T, Fujita K, Takahashi H, Yoneda M, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Matsuhshi N, Nakajima A. Incidence of small bowel injury induced by low-dose aspirin: a crossover study using capsule endoscopy in healthy volunteers. *Digestion.* 79(1):44–51. 2009 [Epub ahead of print]
175. Inaba H, Hokamura K, Nakano K, Nomura R, Katayama K, Nakajima A, Yoshioka H, Taniguchi K, Kamisaki Y, Ooshima T, Umemura K, Murad F, Wada K, Amano A. Upregulation of S100 calcium-binding protein A9 is required for induction of smooth muscle cell proliferation by a periodontal pathogen. *FEBS Lett.* 583(1):128–34. 2009
176. Oshiro H, Matsuo K, Mawatari H, Inayama Y, Yamanaka S, Nagahama K, Endo I, Shimada H, Nakajima A, Kubota K. Mucin-producing gallbladder adenocarcinoma with focal small cell and large cell neuroendocrine differentiation associated with pancreaticobiliary maljunction. *Pathol Int.* ;58(12):780–6. 2008
177. Kirikoshi H, Saito S, Yoneda M, Fujita K, Mawatari H, Uchiyama T, Takuma Higurashi, Goto A, Takahashi H, Abe Y, Inamori M, Kobayashi N, Kubota K, Sakaguchi T, Ueno N, Nakajima A. The outcome of transarterial chemoembolization (TACE) monotherapy and combined TACE with percutaneous ethanol injection (PEI) or radiofrequency ablation (RFA) therapy for hepatocellular carcinoma (HCC). *Hepatology Research.* 39(6):553–62. 2009
178. Nagaishi T, Chen Z, Chen L, Iijima H, Nakajima A, Blumberg RS. CEACAM1 and the regulation of mucosal inflammation. *Mucosal Immunol.* 2008 Nov;1 Suppl 1:S39–42.
179. Nakajima A, Takahashi H, Inamori M, Abe Y, Kobayashi N, Kubota K, Yamanaka S. Anaplastic carcinoma of the pancreas producing granulocyte-colony stimulating factor: a case report. *J Med Case Reports.* 2(1):391. 2008 [Epub ahead of print]
180. Akiyama T, Inamori M, Iida H, Mawatari H, Endo H, Hosono K, Yoneda K, Fujita K, Yoneda M, Takahashi H, Goto A, Abe Y, Kobayashi N, Kubota K, Saito S, Nakajima A. Alcohol consumption is associated with an increased risk of erosive esophagitis and Barrett's epithelium in Japanese men. *BMC Gastroenterol.* 8(1):58. 2008
181. Yoneda M, Hotta K, Nozaki Y, Endo H, Uchiyama T, Mawatari H, Iida H, Kato S, Fujita K, Takahashi H, Kirikoshi H, Kobayashi N, Inamori M, Abe Y, Kubota K, Saito S, Maeyama S, Wada K, Nakajima A. Association between angiotensin II type 1 receptor (*AGTR1*) polymorphisms and the occurrence of nonalcoholic fatty liver disease (NAFLD). *Liver International.* 29(7):1078–85. 2009
182. Yumori A, Okubo H, Takahashi H, Iida H, Mawatari H, Yoneda M, Inamori M, Abe Y, Kobayashi N, Kirikoshi H, Kubota K, Saito S, Nakajima A. Education and imaging.

Gastrointestinal: mantle cell lymphoma diagnosed by balloon enteroscopy. *J Gastroenterol Hepatol.* 23(10):1623. 2008

183. Endo H, Hosono K, Inamori M, Nozaki Y, Yoneda K, Fujita K, Takahashi H, Yoneda M, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Ohya T, Hisatomi K, Teratani T, Matsuhashi N, Nakajima A. Characteristics of small bowel injury in symptomatic chronic low-dose aspirin users: the experience of two medical centers in capsule endoscopy *J. Gastroenterology* 44(6):544–9. 2009
184. Saito K, Inamori M, Sekino Y, Akimoto K, Suzuki K, Tomimoto A, Fujisawa N, Kubota K, Saito S, Koyama S, Nakajima A. Management of acute lower intestinal bleeding: what bowel preparation should be required for urgent colonoscopy? *Hepatogastroenterology*. 2009 Sep-Oct;56(94–95):1331–4.
185. Mawatari H, Inamori M, Fujita K, Yoneda M, Iida H, Endo H, Hosono K, Nozaki Y, Yoneda K, Akiyama T, Takahashi H, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. The continuous real-time ¹³C-octanoate breath test for patients with nonalcoholic steatohepatitis using the BreathID system. *Hepatogastroenterology*. 2009 Sep-Oct;56(94–95):1436–8.
186. Okada K, Inamori M, Imajo K, Chiba H, Nonaka T, Shiba T, Sakaguchi T, Atsukawa K, Takahashi H, Hishino E, Nakajima A. Clinical study of gastroduodenal disorders associated with Low-dose aspirin in Japanese patients. *Hepatogastroenterology*. 2009 Nov-Dec;56(96):1665–9.
187. Kobayashi N, Mawatari H, Kubota K, Nakajima A. Intraductal ultrasonography in von Hippel–Lindau disease. *Gastrointestinal Endoscopy* 2009 Jun;69(7):1384–5; discussion
188. Kobayashi N, Kubota K, Nakajima A. Hepatic artery pseudoaneurysm associated with cholangitis that ruptured into the bile duct. *Clinical Gastroenterology and Hepatology*. 2009 Aug;7(8):e45.
189. Uchiyama T, Inamori M, Iida H, Endo H, Hosono K, Akiyama T, Yoneda K, Fujita K, Takahashi H, Yoneda M, Goto A, Abe Y, Kirikoshi H, Kobayashi N, Kubota K, Saito S, Nakajima A. Preparation with oral tablets of sodium phosphate (Visiclear®) is suitable for colonoscopy but not suitable for colonoscopy with upper endoscopy. *Digestion*. 79(2):98. 2009
190. Hotta K, Nakamura T, Takasaki J, Takahashi H, Takahashi A, Nakata Y, Kamohara S, Kotani K, Komatsu R, Itoh N, Mineo I, Wada J, Masuzaki H, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Hamaguchi K, Tanaka K, Yamada K, Hanafusa T, Oikawa S, Yoshimatsu H, Nakao K, Sakata T, Matsuzawa Y, Kamatani N, Nakamura Y. Screening of 336 Single Nucleotide Polymorphisms (SNPs) in 85 Obesity-Related Genes Revealed

McKusick-Kaufman Syndrome (*MKKS*) Gene Variants are Associated with Metabolic Syndrome. **J Human Genet** 54(4):230–5. 2009