

2015年

1. Tomeno W, Kawashima K, Yoneda M, Saito S, Ogawa Y, Honda Y, Kessoku T, Imajo K, Mawatari H, Fujita K, Saito S, Hirayasu Y, Nakajima A. Nonalcoholic fatty liver disease comorbid with major depressive disorder: the pathological features and poor therapeutic efficacy. *J Gastroenterol Hepatol.* 2015 Jun;30(6):1009–14. doi: 10.1111/jgh.12897.
2. Kobayashi N, Watanabe S, Hosono K, Kubota K, Nakajima A, Kaneko T, Sugimori K, Tokuhisa M, Goto A, Mori R, Taniguchi K, Matsuyama R, Endo I, Maeda S, Ichikawa Y. Endoscopic inside stent placement is suitable as a bridging treatment for preoperative biliary tract cancer. *BMC Gastroenterol.* 2015 Feb 5;15(1):8. [Epub ahead of print]
3. Watanabe S, Hashimoto E, Ikejima K, Uto H, Ono M, Sumida Y, Seike M, Takei Y, Takehara T, Tokushige K, Nakajima A, Yoneda M, Saibara T, Shiota G, Sakaida I, Nakamura M, Mizuta T, Tsubouchi H, Sugano K, Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. *J Gastroenterol.* 2015 Apr;50(4):364–77. doi: 10.1007/s00535-015-1050-7. Epub 2015 Feb 24.
4. Kitamoto T, Kitamoto A, Ogawa Y, Honda Y, Imajo K, Saito S, Yoneda M, Nakamura T, Nakajima A, Hotta K. Targeted-bisulfite sequence analysis of the methylation of CpG islands in genes encoding PNPLA3, SAMM50, and PARVB of patients with nonalcoholic fatty liver disease. *J Hepatol.* 2015 Aug;63(2):494–502. doi: 10.1016/j.jhep.2015.02.049. Epub 2015 Mar 14.
5. Kitamoto A, Kitamoto T, So R, Matsuo T, Nakata Y, Hyogo H, Ochi H, Nakamura T, Kamohara S, Miyatake N, Kotani K, Mineo I, Wada J, Ogawa Y, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Hotta K. ADIPOQ polymorphisms are associated with insulin resistance in Japanese women. *Endocr J.* 2015;62(6):513–21. doi: 10.1507/endocrj.EJ14-0574. Epub 2015 Mar 31.

6. Watanabe S, Hashimoto E, Ikejima K, Uto H, Ono M, Sumida Y, Seike M, Takei Y, Takehara T, Tokushige K, Nakajima A, Yoneda M, Saibara T, Shiota G, Sakaida I, Nakamura M, Mizuta T, Tsubouchi H, Sugano K, Shimosegawa T. Evidence-based clinical practice guidelines for nonalcoholic fatty liver disease/nonalcoholic steatohepatitis. *Hepatol Res.* 2015 Apr;45(4):363-77. doi: 10.1111/hepr.12511.
7. Inoue S, Sakamoto Y, Sekino Y, Nonaka T, Iida H, Endo H, Koide T, Takahashi H, Maeda S, Nakajima A, Gotoh E, Inamori M. Low-dose ramosetron accelerates gastric emptying in the early phase: A crossover study in healthy volunteers using a continuous real-time ¹³C breath test (BreathID System). *Turk J Gastroenterol.* 2015 Mar;26(2):123-7. doi: 10.5152/tjg.2015.4768.
8. Nozaki Y, Fujita K, Wada K, Yoneda M, Kessoku T, Shinohara Y, Imajo K, Ogawa Y, Nakamura M, Saito S, Masaki N, Nagashima Y, Terauchi Y, Nakajima A. Deficiency of iNOS-derived NO accelerates lipid accumulation-independent liver fibrosis in non-alcoholic steatohepatitis mouse model. *BMC Gastroenterol.* 2015 Apr 1;15:42. doi: 10.1186/s12876-015-0269-3.
- 9.
10. Umezawa S, Takuma Higurashi, Uchiyama S, Sakai E, Ohkubo H, Endo H, Nonaka T, Nakajima A. Visual distraction alone for the improvement of colonoscopy-related pain and satisfaction. *World J Gastroenterol.* 2015 Apr 21;21(15):4707-14. doi: 10.3748/wjg.v21.i15.4707.
11. Iida H, Inamori M, Okuno K, Sekino Y, Sakai E, Okubo H, Takuma Higurashi, Endo H, Hosono K, Yoneda M, Koide T, Takahashi H, Goto A, Kubota K, Saito S, Maeda S, Nakajima A, Gotoh E. Early effects of oral administration of esomeprazole and omeprazole on the intragastric pH. *Hepatogastroenterology.* 2015 Mar-Apr;62(138):493-6.
12. Matsuura M, Inamori M, Nakajima A, Komiya Y, Inoh Y, Kawasima K, Naitoh M, Fujita Y, Eduka A, Kanazawa N, Uchiyama S, Tani R, Kawana K, Ohtani S, Nagase H. Effectiveness of therapeutic barium enema for diverticular hemorrhage. *World J Gastroenterol.* 2015 May 14;21(18):5555-9. doi: 10.3748/wjg.v21.i18.5555.

13. Yamada A, Horimatsu T, Okugawa Y, Nishida N, Honjo H, Ida H, Kou T, Kusaka T, Sasaki Y, Makato Y, Takuma Higurashi, Yukawa N, Amanuma Y, Kikuchi O, Muto M, Ueno Y, Nakajima A, Chiba T, Boland CR, Goel A. Serum miR-21, miR-29a and miR-125b are promising biomarkers for the early detection of colorectal neoplasia. *Clin Cancer Res.* 2015 Sep 15;21(18):4234-42. doi: 10.1158/1078-0432.CCR-14-2793. Epub 2015 Jun 2.
14. Imajo K, Yoneda M, Nakajima A. Are platelets count useful for detecting the grade of steatosis? *Hepat Mon.* 2015 May 23;15(5):e28957. doi: 10.5812/hepatmon.15(5)2015. 28957. eCollection 2015 May. No abstract available.
15. Chiba H, Keiichi Ashikari, Takahashi A, Goto T, Ohata K, Matsuhashi N, Nakajima A. A case of delayed bleeding after endoscopic submucosal dissection for completely circumferential esophageal cancer. *Endoscopy*. 2015;47 Suppl 1:E385-6. doi: 10.1055/s-0034-1392429. Epub 2015 Aug 14. PubMed PMID: 26273773.
16. Tarao K, Sekino Y, Nonaka T, Iida H, Inamori M, Nakajima A, Maeda S, Natsumeda Y, Ikegami T, Ohshige K. Recent Trends in Colonic Diverticulosis in Yokohama City: A Possibility of Changing to a More Western Profile. *Intern Med.* 2015;54(20):2545-50. doi: 10.2169/internalmedicine.54.4813. Epub 2015 Oct 15.
17. Nonaka T, Inamori M, Miyashita T, Harada S, Inou Y, Kanoshima K, Matsuura M, Takuma Higurashi, Ohkubo H, Iida H, Endo H, Kusakabe A, Maeda S, Gotoh T, Nakajima A. Feasibility of deep sedation with the combination of propofol and dexmedetomidine hydrochloride for esophageal endoscopic submucosal dissection. *Dig Endosc.* 2016 Mar;28(2):145-51. doi: 10.1111/den.12559. Epub 2015 Nov 9.
18. Ezuka A, Sakai E, Kawana K, Nagase H, Kakuta Y, Uchiyama S, Ohkubo H, Takuma Higurashi, Nonaka T, Endo H, Takahashi H, Nakajima A : Association between factors associated with colorectal cancer and rectal aberrant crypt foci in humans. *Oncol Lett.* 2015 Dec;10(6):3689-3695. Epub 2015 Sep 29.

19. Manabe N, Haruma K, Nakajima A, Yamada M, Maruyama Y, Gushimiyagi M, Yamamoto T. Characteristics of Colonic Diverticulitis and Factors Associated With Complications: A Japanese Multicenter, Retrospective, Cross-Sectional Study. *Dis Colon Rectum.* 2015 Dec;58(12):1174–81. doi: 10.1097/DCR.0000000000000488. PubMed PMID: 26544815.

20. Nozaki Y, Fujita K, Wada K, Yoneda M, Shinohara Y, Imajo K, Ogawa Y, Kessoku T, Nakamura M, Saito S, Masaki N, Nagashima Y, Terauchi Y, Nakajima A. Deficiency of eNOS exacerbates early-stage NAFLD pathogenesis by changing the fat distribution. *BMC Gastroenterol.* 2015 Dec 17;15(1):177. doi: 10.1186/s12876-015-0409-9.