

2016 年

1. Fujisawa T, Kagawa K, Ochiai K, Hisatomi K, Kubota K, Sato H, Nakajima A, Matsuhashi N. Prophylactic Efficacy of 3 or 5-cm Pancreatic Stents for Preventing Post-ERCP Pancreatitis: A Prospective, Randomized Trial. **J Clin Gastroenterol**. 2016 Mar;50(3):e30-4. 2015 Aug 12. [Epub ahead of print] PubMed PMID: 26280707.
2. Hirotsani A, Sakai E, Nakajima A, Kawana K, Nagase H. Endoscopic findings of atypical juvenile colonic polyps. **Gastrointest Endosc**. 2016 Feb;83(2):476-7. doi: 10.1016/j.gie.2015.08.032. Epub 2015 Aug 20
3. Kitamoto A, Kitamoto T, Nakamura T, Matsuo T, Nakata Y, Hyogo H, Ochi H, Kamohara S, Miyatake N, Kotani K, Mineo I, Wada J, Ogawa Y, Yoneda M, Nakajima A, Funahashi T, Miyazaki S, Tokunaga K, Masuzaki H, Ueno T, Chayama K, Hamaguchi K, Yamada K, Hanafusa T, Oikawa S, Sakata T, Tanaka K, Matsuzawa Y, Hotta K. CDH13 Polymorphisms are Associated with Adiponectin Levels and Metabolic Syndrome Traits Independently of Visceral Fat Mass. **J Atheroscler Thromb**. 2016 Mar 1;23(3):309-19. doi: 10.5551/jat.31567. Epub 2015 Oct 1.
4. Tokushige K, Hyogo H, Nakajima T, Ono M, Kawaguchi T, Honda K, Eguchi Y, Nozaki Y, Kawanaka M, Tanaka S, Imajo K, Sumida Y, Kamada Y, Fujii H, Suzuki Y, Kogiso T, Karino Y, Munekage K, Kuromatsu R, Oeda S, Yanase M, Mori K, Ogawa Y, Seko Y, Takehara T, Itoh Y, Nakajima A, Kanemasa K, Nishino K, Masaki N, Takahashi H, Seike M, Torimura T, Saibara T, Toyota J, Chayama K, Hashimoto E. Hepatocellular carcinoma in Japanese patients with nonalcoholic fatty liver disease and alcoholic liver disease: multicenter survey. **J Gastroenterol**. 2016 Jun;51(6):586-96. doi: 10.1007/s00535-015-1129-1. Epub 2015 Oct 11.
5. Arimoto J, Endo H, Kato T, Umezawa S, Fuyuki A, Uchiyama S, Takuma Higurashi, Ohkubo H, Nonaka T, Takeno M, Ishigatsubo Y, Sakai E, Matsuhashi N, Nakajima A. Clinical value of capsule endoscopy for detecting the small bowel lesions in patients with intestinal Behçet's disease. **Dig Endosc**. 2016 Mar;28(2):179-85. doi: 10.1111/den.12552. Epub 2015 Oct 28.

6. Nonaka T, Inamori M, Miyashita T, Harada S, Inou Y, Kanoshima K, Matsuura M, Takuma Higurashi, Ohkubo H, Iida H, Endo H, Kusakabe A, Maeda S, Gotoh T, **Nakajima A**. Feasibility of deep sedation with the combination of propofol and dexmedetomidine hydrochloride for esophageal endoscopic submucosal dissection. **Dig Endosc.** 2016 Mar;28(2):145-51. doi: 10.1111/den.12559. Epub 2015 Nov 9.
7. Sakai E, Fukuyo M, Ohata K, Matsusaka K, Doi N, Mano Y, Takane K, Abe H, Yagi K, Matsushashi N, Fukushima J, Fukayama M, Akagi K, Aburatani H, **Nakajima A**, Kaneda A. Genetic and epigenetic aberrations occurring in colorectal tumors associated with serrated pathway. **Int J Cancer.** 2016 Apr 1;138(7):1634-44. doi: 10.1002/ijc.29903. Epub 2015 Nov 12.
8. Imajo K, Kessoku T, Honda Y, Tomeno W, Ogawa Y, Mawatari H, Fujita K, Yoneda M, Taguri M, Hyogo H, Sumida Y, Ono M, Eguchi Y, Inoue T, Yamanaka T, Wada K, Saito S, **Nakajima A**. Magnetic Resonance Imaging More Accurately Classifies Steatosis and Fibrosis in Patients with Nonalcoholic Fatty Liver Disease Than Transient Elastography. **Gastroenterology.** 2016 Mar;150(3):626-637. e7. doi: 10.1053/j.gastro.2015.11.048. Epub 2015 Dec 8.
9. Nonaka T, Inamori M, Kanoshima K, Ohkuma K, Inoh Y, Matsuura M, Fuyuki A, Uchiyama S, Takuma Higurashi, Ohkubo H, Iida H, Endo H, Tateishi Y, Kusakabe A, Ohashi K, Maeda S, **Nakajima A**. Evaluation of endoscopic findings for discriminating between early carcinomas and low-grade adenomas in superficial elevated gastric lesions. **Turk J Gastroenterol.** 2016 Mar;27(2):108-14. doi: 10.5152/tjg.2015.150359. Epub 2016 Feb 5.
10. Yoneda M, Thomas E, Schiff ER : Reply : Supersonic Shear Imaging and Transient Elastography in obesity. **Clin Gastroenterol Hepatol.** 2016 Mar;14(3):484-5. doi: 10.1016/j.cgh.2015.12.009. Epub 2015 Dec 9.
11. Honda Y, Imajo K, Kato T, Kessoku T, Ogawa Y, Tomeno W, Kato S, Mawatari H, Fujita K, Yoneda M, Saito S, **Nakajima A**. The Selective SGLT2 Inhibitor Ipragliflozin Has a Therapeutic Effect on Nonalcoholic Steatohepatitis in Mice. **PLoS One.** 2016 Jan 5;11(1):e0146337. doi: 10.1371/journal.pone.0146337. eCollection 2016.

12. Honda Y, Yoneda M, Kessoku T, Ogawa Y, Tomeno W, Imajo K, Mawatari H, Fujita K, Hyogo H, Ueno T, Chayama K, Saito S, Nakajima A, Hotta K. The characteristics of non-obese NAFLD: Effect of genetic and environmental factors. **Hepatol Res.** 2016 Sep;46(10):1011-8. doi: 10.1111/hepr.12648. Epub 2016 Apr 5.
13. Fujisawa T, Kagawa K, Hisatomi K, Kubota K, Sato H, Nakajima A, Matsuhashi N: Obesity with abundant subcutaneous adipose tissue increases the risk of post-ERCP pancreatitis. **J Gastroenterol.** 2016 Sep;51(9):931-8. doi: 10.1007/s00535-016-1160-x. Epub 2016 Jan 20.
14. Kessoku T, Imajo K, Honda Y, Kato T, Ogawa Y, Tomeno W, Kato S, Mawatari H, Fujita K, Yoneda M, Nagashima Y, Saito S, Wada K, Nakajima A. Resveratrol ameliorates fibrosis and inflammation in a mouse model of nonalcoholic steatohepatitis. **Sci Rep.** 2016 Feb 25;6:22251. doi: 10.1038/srep22251.
15. Takuma Higurashi, Hosono K, Takahashi H, Komiya Y, Umezawa S, Sakai E, Uchiyama T, Taniguchi L, Hata Y, Uchiyama S, Hattori A, Nagase H, Kessoku T, Arimoto J, Matsuhashi N, Inayama Y, Yamanaka S, Taguri M, Nakajima A. Metformin for chemoprevention of metachronous colorectal adenoma or polyps in post-polypectomy patients without diabetes: a multicentre double-blind, placebo-controlled, randomised phase 3 trial. **Lancet Oncol.** 2016 Apr;17(4):475-83. doi: 10.1016/S1470-2045(15)00565-3. Epub 2016 Mar 3.
16. Sakai E, Fukuyo M, Matsusaka K, Ohata K, Doi N, Takane K, Matsuhashi N, Fukushima J, Nakajima A, Kaneda A : TP53 mutation at early stage of colorectal cancer progression from two types of laterally spreading tumors. **Cancer Sci**, 2016 Jun;107(6):820-7. doi: 10.1111/cas.12930. Epub 2016 Apr 27.
17. Tamura K, Kawai Y, Kiguchi T, Okamoto M, Kaneko M, Maemondo M, Gemba K, Fujimaki K, Kirito K, Goto T, Fujisaki T, Takeda K, Nakajima A, Ueda T : Efficacy and safety of febuxostat for prevention of tumor lysis syndrome in patients with malignant tumors receiving chemotherapy: a phase III, randomized, multi-center trial comparing febuxostat and allopurinol. **Int J Clin Oncol**, 2016 Oct;21(5):996-1003. Epub 2016 Mar 26.

18. Sekino Y, Nakajima A, Kubota K : Successful endoscopic papillectomy in patient with situs inversus. **Dig Endosc.** 2016 Jul;28(5):616. doi: 10.1111/den.12662. No abstract available..
19. .
20. Yoneda M, Hyun J, Jakubski S, Saito S, Nakajima A, Schiff ER, Thomas E. Hepatitis B Virus and DNA Stimulation Trigger a Rapid Innate Immune Response through NF- κ B. **J Immunol.** 2016 Jul 15;197(2):630-43. doi: 10.4049/jimmunol.1502677. Epub 2016 Jun 10.
21. Kubota K, Hasegawa S, Iwasaki A, Sato T, Fujita Y, Hosono K, Nakajima A, Mori R, Matsuyama R, Endo I: Stent placement above the sphincter of Oddi permits implementation of neoadjuvant chemotherapy in patients with initially unresectable Klatskin tumor. **Endosc Int Open.** 2016 Apr;4(4):E427-33. doi: 10.1055/s-0042-102246. Epub 2016 Mar 30.
22. Imajo K, Nakajima A : Reply. **Gastroenterology.** 2016 Aug;151(2):375-6. doi: 10.1053/j.gastro.2016.06.046. Epub 2016 Jul 1. No abstract available.
23. Arimoto J, Horita N, Kato S, Fuyuki A, Takuma Higurashi, Ohkubo H, Endo H, Takashi N, Kaneko T, Nakajima A: Diagnostic test accuracy of glutamate dehydrogenase for Clostridium difficile: Systematic review and meta-analysis. **Sci Rep.** 2016 Jul 15;6:29754. doi: 10.1038/srep29754.
24. Fujisawa T, Kagawa K, Hisatomi K, Kubota K, Nakajima A, Matsushashi N. Is endoscopic papillary balloon dilatation really a risk factor for post-ERCP pancreatitis? **World J Gastroenterol.** 2016 Jul 14;22(26):5909-16. doi: 10.3748/wjg.v22.i26.5909. Review.
25. Kudo C, Kessoku T, Kamata Y, Hidaka K, Kurihashi T, Iwasaki T, Takashiba S, Kodama T, Tamura T, Nakajima A, Minabe M : Relationship between non-alcoholic fatty liver disease and periodontal disease: a review and study protocol on the effect of periodontal treatment on non-alcoholic fatty liver

disease. **Journal of Translational Science**. 2016 Volume 2(6): 340-345. doi: 10.15761/JTS.1000160.

26. Fuyuki A, Ohkubo H, Takuma Higurashi, Iida H, Inoh Y, Inamori M, Nakajima A : Clinical importance of cine-MRI assessment of small bowel motility in patients with chronic intestinal pseudo-obstruction: a retrospective study of 33 patients. **J Gastroenterol**. 2016 Aug 22. [Epub ahead of print]
27. Fujita Y, Hasegawa S, Kato Y, Ishii K, Iwasaki A, Sato T, Sekino Y, Hosono K, Nakajima A, Kubota K: Intravenous injection of low-dose flurbiprofen axetil for preventing post-ERCP pancreatitis in high-risk patients: An interim analysis of the trial. **Endosc Int Open**. 2016 Oct;4(10):E1078-E1082.
28. Nonaka T, Inamori M, Honda Y, Kanoshima K, Inoh Y, Matsuura M, Uchiyama S, Sakai E, Takuma Higurashi, Ohkubo H, Iida H, Endo H, Fujita K, Kusakabe A, Atsukawa K, Takahashi H, Tateishi Y, Maeda S, Ohashi K, Nakajima A: Can magnifying endoscopy with narrow-band imaging discriminate between carcinomas and low grade adenomas in gastric superficial elevated lesions? **Endosc Int Open**. 2016 Nov;4(11):E1203-E1210.