

2017 年

1. Endo H, Kato T, Sakai E, Taniguchi L, Arimoto J, Kawamura H, Takuma Higurashi, Ohkubo H, Nonaka T, Taguri M, Inamori M, Yamanaka T, Sakaguchi T, Hata Y, Nagase H, **Nakajima A**: Is a fecal occult blood test a useful tool for judging whether to perform capsule endoscopy in low-dose aspirin users with negative colonoscopy and esophagogastroduodenoscopy? **J Gastroenterol**. 2017 Feb;52(2):194-202. doi: 10.1007/s00535-016-1212-2. Epub 2016 Apr 19.
2. Yamada E, Tsunoda S, Abe T, Uchida E, Teraoka H, Watanabe S, Kawana I, Taguri M, Hosaka N, Nagai K, Nishino H, **Nakajima A**. Factors associated with poor therapeutic response in outpatients with irritable bowel syndrome: a multicenter study in Japan. **J Gastroenterol**. 2017 Mar;52(3):301-307. doi: 10.1007/s00535-016-1215-z. Epub 2016 Apr 29.
3. Uchida K, Nakajima A, Ushijima K, Ida S, Seki Y, Kakuta F, Abukawa D, Tsukahara H, Maisawa SI, Inoue M, Araki T, Umeno J, Matsumoto T, Taguchi T. Pediatric Onset Chronic Nonspecific Multiple Ulcers of Small Intestine: A Nationwide Survey and Genetic Study in Japan. **J Pediatr Gastroenterol Nutr**. 2017.
4. Fujita Y, Iwasaki A, Sato T, Fujisawa T, Sekino Y, Hosono K, Matsushashi N, Sakamaki K3, **Nakajima A**, Kubota K : Feasibility of Endoscopic Papillary Large Balloon Dilation in Patients with Difficult Bile Duct Stones without Dilatation of the Lower Part of the Extrahepatic Bile Duct. **Gut Liver**. 2017 Jan 15;11(1):149-155. doi: 10.5009/gnl15634.
5. Honda Y, Kessoku T, Ogawa Y, Tomeno W, Imajo K, Fujita K, Yoneda M, Takizawa T, Saito S, Nagashima Y, Nakajima A : Pemafibrate, a novel selective peroxisome proliferator-activated receptor alpha modulator, improves the pathogenesis in a rodent model of nonalcoholic steatohepatitis. **Sci Rep**. 2017 Feb 14;7:42477. doi: 10.1038/srep42477. PMID:28195199 PMCID:PMC5307366.
6. Yamada E, Watanabe S, Nakajima A. Associations of Mental Health and Physical Function with Colonoscopy-related Pain. **Intern Med**. 2017;56(4):383-388. doi:10.2169/internalmedicine.56.7465. PubMed PMID: 28202858.

7. Hotta K, Kikuchi M, Kitamoto T, Kitamoto A, Ogawa Y, Honda Y, Kessoku T, Kobayashi K, Yoneda M, Imajo K, Tomeno W, Nakaya A, Suzuki Y, Saito S, Nakajima A. Identification of core gene networks and hub genes associated with progression of nonalcoholic fatty liver disease by RNA sequencing. **Hepatol Res.** 2017 Dec;47(13):1445-1458. doi: 10.1111/hepr.12877. Epub 2017 Mar 29.
8. Sakai E, Takuma Higurashi, Ohkubo H, Hosono K, Ueda A, Matsuhashi N, Nakajima A: Investigation of Small Bowel Abnormalities in HIV-Infected Patients Using Capsule Endoscopy. **Gastroenterol Res Pract**, 2017;2017:1932647. doi: 10.1155/2017/1932647. Epub 2017 Mar 20.
9. Kato T, Honda Y, Kurita Y, Iwasaki A, Sato T, Kessoku T, Uchiyama S, Ogawa Y, Ohkubo H, Takuma Higurashi, Yamanaka T, Usuda H, Wada K, Nakajima A: Lubiprostone improves intestinal permeability in humans, a novel therapy for the leaky gut: A prospective randomized pilot study in healthy volunteers. **PLoS One**, 2017 Apr 14;12(4):e0175626.
10. Fujii T, Sakai E, Takahashi H, Yamada E, Ohkubo H, Takuma Higurashi, Nakajima A: The distribution of human rectal aberrant crypt foci and criteria for defining the counting area. **Oncology Letters**. 2017 Jun;13(6):4501-4504. doi:10.3892/ol.2017.6003. Epub 2017 Apr 7. PubMed PMID: 28599450; PubMed Central PMCID: PMC5452945.
11. Yamada E, Kuriyama H, Uchida E, Murata Y, Hata Y, Tagri M, Isozaki Y, Oyamada H, Ozawa Y, Ito T, Mizuki A, Inamori M, Manabe N, Haruma K, Nakajima A : Association between endoscopic findings related to colonic diverticula and bowel habits: a multicenter study in Japan. **J Gastroenterol Hepatol**. 2017 Dec;32(12):1938-1942. doi: 10.1111/jgh.13805.
12. Hasegawa S, Kobayashi N, Tokuhisa M, Goto A, Takano S, Takada Y, Kaneta T, Mori R, Matsuyama R, Endo I, Yamanaka S, Nakajima A, Inoue T, Ichikawa Y. Clinical Usefulness of Somatostatin Receptor Scintigraphy in Japanese

Patients with Gastroenteropancreatic Neuroendocrine Tumors. **Digestion**. 2017;96(1):13-20. doi: 10.1159/000470838. Epub 2017 Jun 14.

13. Ohkubo H, Fuyuki A, Arimoto J, Takuma Higurashi, Nonaka T, Inoh Y, Iida H, Inamori M, Kaneda T, Nakajima A. Efficacy of percutaneous endoscopic gastro-jejunoscopy (PEG-J) decompression therapy for patients with chronic intestinal pseudo-obstruction (CIPO). *Neurogastroenterol Motil*. 2017 Dec;29(12). doi: 10.1111/nmo.13127. Epub 2017 Jun 20.
14. Umezawa S, Takuma Higurashi, Nakajima A: AMPK: therapeutic target for diabetes and cancer prevention. *Curr Pharm Des*. 2017;23(25):3629-3644. doi: 10.2174/0929867324666170713150440.
15. Chiba H, Tachikawa J, Kurihara D, Keiichi Ashikari, Takahashi A, Kuwabara H, Nakaoka M, Morohashi T, Goto T, Ohata K, Nakajima A. Successful endoscopic submucosal dissection of colon cancer with severe fibrosis after tattooing. *Clin J Gastroenterol*. 2017 Oct;10(5):426-430. doi: 10.1007/s12328-017-0770-z. Epub 2017 Aug 7.
16. Honda Y, Kessoku T, Sumida Y, Kobayashi T, Kato T, Ogawa Y, Tomeno W, Imajo K, Fujita K, Yoneda M, Kataoka K, Taguri M, Yamanaka T, Seko Y, Tanaka S, Saito S, Ono M, Oeda S, Eguchi Y, Aoi W, Sato K, Itoh Y, Nakajima A. Efficacy of glutathione for the treatment of nonalcoholic fatty liver disease: an open-label, single-arm, multicenter, pilot study. *BMC Gastroenterol*. 2017 Aug 8;17(1):96. doi: 10.1186/s12876-017-0652-3.
17. Arimoto J, Takuma Higurashi, Kato S, Goto S, Suzuki S, Nakajima A, Atsukawa K. Cardiac tumors and gastroendoscopy: endoscopic resection of left ventricular tumors. *Endoscopy*. 2017 Feb;49(S 01):E23-E24. doi: 10.1055/s-0042-122139. No abstract available.
18. Uchiyama T, Takuma Higurashi, Kuriyama H, Kondo Y, Hata Y, Nakajima A. Oral esomeprazole vs injectable omeprazole for the prevention of hemorrhage after endoscopic submucosal dissection. *World J Gastrointest Endosc*. 2017 Oct 16;9(10):514-520. doi: 10.4253/wjge.v9.i10.514. PubMed PMID: 29085562; PubMed Central PMCID: PMC5648994.

19. Fukudo S, Nakajima A, Fujiyama Y, Kosako M, Nakagawa A, Akiho H, Nakashima Y, Johnston JM, Miwa H. Determining an optimal dose of linaclotide for use in Japanese patients with irritable bowel syndrome with constipation: A phase II randomized, double-blind, placebo-controlled study. *Neurogastroenterol Motil.* 2017 Dec 26. doi: 10.1111/nmo.13275. [Epub ahead of print] PubMed PMID: 29278278.

20.